



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/790,923	03/01/2004	Nancy C. Frye	063293.0110	1435
5073	7590	10/06/2011		
BAKER BOTTS L.L.P. 2001 ROSS AVENUE SUITE 600 DALLAS, TX 75201-2980			EXAMINER PATTERSON, MARIE D	
			ART UNIT 3765	PAPER NUMBER
			NOTIFICATION DATE 10/06/2011	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ptomail1@bakerbotts.com
glenda.orrantia@bakerbotts.com

Office Action Summary

Application No.

10/790,923

Applicant(s)

FRYE, NANCY C.

Examiner

MARIE PATTERSON

Art Unit

3765

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 September 2011.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ An election was made by the applicant in response to a restriction requirement set forth during the interview on ____; the restriction requirement and election have been incorporated into this action.
- 4) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 5) ☒ Claim(s) 1.5-7.11, 15, 16, 19 and 21-24 is/are pending in the application.
- 5a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 6) ☐ Claim(s) ____ is/are allowed.
- 7) ☒ Claim(s) 1.5-7.11, 15, 16, 19 and 21-24 is/are rejected.
- 8) ☐ Claim(s) ____ is/are objected to.
- 9) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 10) ☐ The specification is objected to by the Examiner.
- 11) ☒ The drawing(s) filed on 22 March 2011 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 12) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date ____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date ____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: ____

Drawings

1. The drawings were received on 3/22/11. These drawings are not entered because they contain new matter, i.e. the thickness, shape, exact location, etc. of the midsole is considered to be new matter. In response applicants' arguments directed towards the new matter added to the drawings in order to show the midsole, it is noted that it is applicants' responsibility when originally filing the application to ensure that all claimed elements are clearly shown in the drawings, the addition of elements at a later date in most cases does add new matter and will not be entered.
2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the midsole(s) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of

the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

3. The drawings are objected to because the specification states that 824 is a point at $\frac{1}{2}$ the length of the shoe, however the point at 824 in figure 14 appears to be clearly in the forefoot portion of the shoe, this is confusing. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

5. Claims 1, 5-7, 11, 15, 16, 19, and 21-24 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

The specification and drawings are confusing and inconsistent and therefore do not provide adequate basis to enable one of ordinary skill in the art to make the claimed shoe because it is not clear where the location of point 824 is to be located. The specification states "approximately 1/2 the length" however the drawings clearly show such a location to be in the forefoot of the footwear. One of ordinary skill in the art would not be able to determine which location is appropriate for the invention. Also the drawings do not show a midsole and one of ordinary skill in the art would not know what thickness, shape, exact location etc. would be appropriate. Therefore the specification lacks enablement for a midsole or the location of the point which the forward toe section of constant thickness of the insole meets the heel section of the insole with a decreasing thickness.

Allowable Subject Matter

6. Claims 1, 5-7, 11, 15, 16, 19, and 21-24 are allowable over the prior art.

7. As allowable subject matter has been indicated, applicant's reply must either comply with all formal requirements or specifically traverse each requirement not complied with. See 37 CFR 1.111(b) and MPEP § 707.07(a).

Response to Arguments

8. Applicant's arguments filed 9/21/11 have been fully considered but they are not persuasive. .

In response to applicants' arguments directed towards the newly filed drawings, the newly filed drawings contain new matter and therefore the arguments directed towards such do not solve the present issues. The originally filed drawings do not show the claimed subject matter. The newly filed drawings contain new matter and therefore the application is not proper for allowance.

In response to applicants' arguments directed towards the addition of a midsole to the drawings, the notations reference by applicant, page 22 lines 7-12 and page 29 lines 11-13 merely state that "there may be one or more midsoles separating a wearer's foot from upper surface 712U to provide additional cushioning. Preferably, the midsole would have substantially planar surfaces in order to provide the benefits of the negative heel configuration of shoe 711" or "Insole 816 may be in direct contact with surface 818 of outsole 812 or may be separated therefrom by one or more midsoles". There is no language as to how thick the midsole is, the length, the shape, exact location, etc. of a midsole. In fact the statement on page 22 is confusing, and not clear as to how planar surfaces of a midsole would provide the claimed benefits of a negative heel configuration as stated. These passages do not provide clear basis for claiming a

midsole or for addition of a midsole to the drawings. The specification as a whole lacks enablement for claiming a midsole.

In response to applicants' arguments directed towards the change of the location of number 824 in the drawings, it is noted that the original specification stated that point 824 is substantially halfway across a length of the shoe. The original applications as a whole was confusing, in that due to the location shown in the original drawings the span of the area considered appropriate for encompassing applicants language of "substantially halfway" appeared to be large, i.e. the area encompassing the central half of the length of the footwear. Applicant has attempted to change this meaning by amending the drawings to locate number 824 at the exact half way location which is different from the original description in the specification of substantially halfway across the length of the shoe in view of the location shown in the original drawings. The specification does not provide any basis for changing the location of element 824 to the location exactly halfway across the length of the shoe.

Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

1. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). Other useful information can be obtained at the PTO Home Page at www.uspto.gov.

In order to avoid potential delays, Technology Center 3700 is encouraging FAXing of responses to Office Actions directly into the Center at (571)273-8300 (FORMAL FAXES ONLY). Please identify Examiner Marie Patterson of Art Unit 3765 at the top of your cover sheet.

Any inquiry concerning the MERITS of this examination from the examiner should be directed to Marie Patterson whose telephone number is (571) 272-4559. The examiner can normally be reached from 6AM - 4PM Mon-Wed.

/Marie Patterson/
Primary Examiner
Art Unit 3765